

Metal Lockout Hasp


The Metal Lockout Hasp is 4 $\frac{7}{8}$ " in length with a 1"-diameter jaw opening. The single scissor-type hasp has a red rubber-dipped handle. Accommodates six padlocks up to $\frac{3}{8}$ " shackle diameter. Made of tempered steel.



| Item No | Description | Unit |
|---------|--------------------|------|
| NORMS86 | Metal Lockout Hasp | Each |

Nylon Lockout Hasp

Fully dielectric and chemical and abrasion resistant. Hasp withstands hot and cold environments while maintaining maximum flexibility. Accepts up to six padlocks and features a bright red color for high visibility. The Nylon Hasp is an economical alternative to higher priced metal hasps.



| Item No | Description | Unit |
|---------|--------------------|------|
| NORMS01 | Nylon Lockout Hasp | Each |

Master
SAFETY SERIES Lock

Safety Lockout Hasp

Accommodates the personal locks of up to six workers at one time. Steel construction. Compatible with all American Lock and Master Lock safety padlocks, as well as other padlocks with up to $\frac{9}{32}$ " shackle. Red vinyl handle.



| Item No | Description | Unit |
|---------|--|------|
| MAS420 | Safety Hasp, 1" Diameter Jaws | Each |
| MAS421 | Safety Hasp, 1 $\frac{1}{2}$ " Diameter Jaws | Each |

Snap-On Labeled Hasp

A spring-loaded locking arm feature conveniently and easily attaches to equipment and can be used for a variety of lockout applications. Accommodates up to five padlocks at once. Constructed of anodized aluminum and stainless steel for excellent corrosion resistance and durability. Complete with three (English, French and Spanish) highly visible labels which quickly identify the safety lockout application and can be written on repeatedly.


| Item No | Description | Unit |
|-----------|------------------------|--------|
| MAS427 | Snap-On Hasp | Each |
| MAS427AST | Snap-On Hasp, Assorted | 6/Pack |

Assortment Pack features one Snap-On Hasp in each color: Black, Blue, Green, Clear/Silver, Red, and Yellow.

Master
SAFETY SERIES Lock

Dual Opening Metal Lockout Hasp

Dual Opening Lockout Hasp is 5 $\frac{1}{4}$ " in length with 1 $\frac{3}{4}$ "-diameter and $\frac{3}{4}$ "-diameter jaw openings. Dual scissor-type hasp. Accommodates six padlocks with up to $\frac{3}{8}$ " shackle diameter. Made of tempered steel.



| Item No | Description | Unit |
|----------|---------------------------------|------|
| NOR666RD | Dual Opening Metal Lockout Hasp | Each |

Plastic Nonconductive Hasp

The Plastic Nonconductive Hasp is fully dielectric for added worker protection. It has an inside jaw diameter of 1 x 2 $\frac{1}{2}$ ". Holds up to six padlocks.



| Item No | Description | Unit |
|---------|----------------------------|------|
| MAS428 | Plastic Nonconductive Hasp | Each |

Padlock Identification Label

An easy way to personalize safety lockout padlocks. Seal the employee's picture included with the photo ID label under a clear over laminate included with the photo ID label. Label has a place to write name and department info, as well as large script, "DANGER. EQUIPMENT LOCKED OUT. MY LIFE IS ON THE LINE!". Two sizes of labels to fit Master Lock 411 Xenoy, or Master Lock and American Lock aluminum safety padlocks.

Master
SAFETY SERIES Lock



6835-5700



0411-5705

| Item No | Description | Unit |
|--------------|----------------------------------|-------|
| MAS0411-5705 | ID Labels for 411 Padlocks | 6/Bag |
| MAS6835-5700 | ID Labels for 6835, A1100 Series | 6/Bag |



427

427AST

LOCKS / LOCK BOXES

Anodized Aluminum Padlocks



Color-coded aluminum padlocks are perfect for the industrial environment. Solid body aluminum padlocks have an anodized finish. Lightweight, corrosion and spark-resistant padlock bodies have 1/4"-diameter plated steel shackles. Five-pin cylinder allows for over 10,000 key changes. Comes in Blue, Gold, Green, Red, Black, Brown, Yellow, Orange, Gray, and Purple (specify color when ordering).



A1106 A1105

| Item No | Description | Unit |
|----------|--|------|
| AMLA1105 | 1" Shackle, 1 1/2" Wide Alum. Body | Each |
| AMLA1106 | 1 1/2" Shackle, 1 1/2" Wide Alum. Body | Each |



Master SAFETY SERIES Lockout Cinch Sack

It's a cinch to lock out large and odd-shaped electrical plugs and connectors. Simply place the large, reinforced nylon Cinch Sack around a plug or connector, cinch closed, then apply up to six padlocks or hasps. Sack cannot be opened until last padlock is removed. Also works well with crane controls. Sack is round, red, and has a trilingual lockout warning printed on it. Folds up for easy storage.

| Item No | Description | Dimensions | Unit |
|-----------|--------------------|---------------|------|
| MAS453L | Lockout Cinch Sack | 17H x 7"Dia. | Each |
| MAS453XL | Lockout Cinch Sack | 26H x 10"Dia. | Each |
| MAS453XXL | Lockout Cinch Sack | 36H x 14"Dia. | Each |



Lockout Leash™ Lanyard

Conveniently stores padlocks near a frequently used lockout point. Lockout Leash adjusts from 2" to 36" and mounts easily with a screw, bolt, or rivet. It accommodates all Master Lock and American Lock Padlocks and models 418 and 419 Safety Hasps. Includes mounting clips for 1/4" and 3/32" shackles.

| Item No | Description | Unit |
|---------|-----------------------|------|
| MASS100 | Lockout Leash Lanyard | Each |



Safety Lockout Padlocks

Specifically for OSHA safety lockout compliance. Padlocks are complete with two permanent write-on labels that can be customized on-site. The lightweight Xenoy® body is durable, nonconductive and corrosion resistant. Features a high-security six-pin tumbler and key-retaining cylinder, which ensures that the padlock is not left unlocked. Padlocks are keyed differently; other keying options are available. Call for details.

| Item No | Description | Unit |
|---------|---------------------------------------|------|
| MAS410 | 1 1/4" Tall Body, 1 1/2" High Shackle | Each |
| MAS411 | 3" Tall Body, 1 1/2" High Shackle | Each |

Available in eight solid colors for fast identification: Black, Blue, Green, Orange, Purple, Red, Teal and Yellow. Specify color when ordering.

Master SAFETY SERIES Lockout Latch Tight™ Group Lock Box

Impossible to open until servicing is complete and the last worker's padlock has been removed. Inside the box there are 12 keyholder slots, each of which can be labeled for a specific lockout point on a piece of equipment. Or simply drop keys through the key slot in the box's lid. The Latch Tight Box is ideal for large jobs, with lockout points for up to 14 padlocks or hasps. Features a stainless steel handle and heavy-duty steel construction with a durable powder coated finish to stand up to harsh industrial environments. Can be wall mounted or carried from job to job. Accommodates all safety padlock shackle sizes and lengths.

Dimensions: 12 1/4"H x 3 1/2"L x 6 3/8"W.



| Item No | Description | Color | Unit |
|-----------|----------------------------|--------|------|
| MAS503RED | Latch Tight Group Lock Box | Red | Each |
| MAS503YLW | Latch Tight Group Lock Box | Yellow | Each |

Master SAFETY SERIES Lockout Group Lock Box



Ensures lockouts can't be removed until each person in a group is accounted for. The heavy-duty steel device allows every lockout point to be secured by just one lock. When a lock is fastened on the system being worked on, the key is placed in the Lock Box. Key(s) can't be removed (or the system reenergized) until everyone has removed their lock. As many as 12 workers can use the Lock Box at once.

Bright red color and trilingual label (English, French, Spanish) make lockout identification quick and easy. Measures 6H x 9 1/4L x 3 3/4"W.

| Item No | Description | Unit |
|---------|----------------|------|
| MAS498A | Group Lock Box | Each |


LOCKOUT STATIONS / VALVE LOCKOUTS




Master
SAFETY SERIES Lock.

Lockout Wall Station with Hinged Front Cover

A one-piece molded design made of virtually indestructible TUF plastic for years of reliable service. The Wall Station is so durable, you can literally stand on it without causing damage. The interior has molded-in snap lock hanger clips that accommodate all Master Lock and American Lock padlocks, with room for long locks to hang freely. Patent-pending hanger clips make obsolete the old-style loose hanger clips that routinely fall out. Interior also includes snap lock hanger clips for hasps and molded-in pockets for tags and ties. The durable, tinted-plastic hinged cover "locks" in the open position until closed. The clear cover allows users to see what's inside, and it is lockable. Lock the cover with a Master Lock combination lock, so that only authorized users with the combination have access to the station's contents. Includes red padlocks made of Xenoy®, aluminum or laminated steel (station is also available empty). 10- and 20-Lock Stations have holes spaced 16" on center for mounting the station to wall studs.



10-Lock Station (Steel Padlocks)



20-Lock Station (Aluminum Padlocks)

Filled Lockout Stations

1482 Station contains: (4) padlocks, (2) 420 hasps, and (12) 497A lockout tags. Measures 12 $\frac{1}{4}$ "H x 16"W.

1483 Station contains: (10) padlocks, (2) 420 hasps, and (24) 497A lockout tags. Measures 15 $\frac{1}{2}$ "H x 22"W.

1484 Station contains: (20) padlocks, (4) 420 hasps, and (48) 497A lockout tags. Measures 22H x 22"W.

| Item No | Description | Unit |
|-----------------------------|-------------------|------|
| Four-Lock Stations | | |
| MAS1482BP410 | Xenoy Padlocks | Each |
| MAS1482BP1106 | Aluminum Padlocks | Each |
| MAS1482BP3 | Steel Padlocks | Each |
| MAS1482B | Unfilled | Each |
| Ten-Lock Stations | | |
| MAS1483BP410 | Xenoy Padlocks | Each |
| MAS1483BP1106 | Aluminum Padlocks | Each |
| MAS1483BP3 | Steel Padlocks | Each |
| MAS1483B | Unfilled | Each |
| Twenty-Lock Stations | | |
| MAS1484BP410 | Xenoy Padlocks | Each |
| MAS1484BP1106 | Aluminum Padlocks | Each |
| MAS1484BP3 | Steel Padlocks | Each |
| MAS1484B | Unfilled | Each |

Padlock Wall Stations are also available as Multilingual Wall Stations in North American Spanish/English or French/English. Contact customer service for ordering information.



Deluxe Lockout Station

Stores and organizes a massive amount of lockout equipment and accessories. The upper half is intended for larger pieces of equipment, and features eight hanger clips for locks and/or safety hasps. A storage tray on top of the unit, complete with removable dividers, is ideal for smaller parts and tools. The lower half has two large tip-out drawers (each measuring 10W x 6 $\frac{1}{8}$ "H x 3 $\frac{1}{4}$ "D) that can be separated into compartments with dividers. It can hold as many as 150 lockout tags, and also has eight hanger clips on the bottom as well as holes for optional peg hooks. A durable plastic cover on both sections keeps out dirt and grime, and can be locked to eliminate unauthorized use. Complete unit measures 26 $\frac{1}{2}$ "H x 22W x 4 $\frac{1}{8}$ "D.

Filled Lockout Stations contain: (6) padlocks, (2) 420 hasp, (1) 427 snap-on hasp, (1) 8611 adjustable cable lockout, (1) 480 gate valve lockout, (1) 481 gate valve lockout, (1) 482 gate valve lockout, (1) 483 gate valve lockout, (2) 468L ball valve lockouts, (1) S2055 compact plug prong lockout, (1) 488 plug cover, (2) 491B circuit breaker lockouts, (6) 493B circuit breaker lockouts, (2 pieces) 496B wall switch covers, (24) 497A tags.

| Item No | Description | Unit |
|----------------|-------------------|------|
| MASS1900VE410 | Xenoy Padlocks | Each |
| MASS1900VE1106 | Aluminum Padlocks | Each |
| MASS1900VE3 | Steel Padlocks | Each |
| MASS1900 | Unfilled | Each |

Master SAFETY SERIES Lock. Rotating Gate Valve Lockout

This lockout device safely secures a valve handle and prevents the accidental opening of a gate valve. The unique space-saving design allows the lockout to be rotated into itself and lets smaller lockouts nest inside larger ones for extremely convenient storage. Accommodates the locks of up to four workers. The dielectric Xenoy® thermoplastic construction is resistant to chemicals and withstands temperature ranges of -50° to 300°F. The bright red color is eye-catching, and the permanent safety label clearly identifies who is responsible for the lockout. Lockout Set includes one of each of the five sizes.



| Item No | Description | Unit |
|---------|--|------|
| MAS480 | Fits 1 to 3" Dia. Handles | Each |
| MAS481 | Fits 2 to 5" Dia. Handles | Each |
| MAS482 | Fits 4 to 6 $\frac{1}{2}$ " Dia. Handles | Each |
| MAS483 | Fits 6 to 10" Dia. Handles | Each |
| MAS484 | Fits 8 to 13" Dia. Handles | Each |
| MAS485 | Gate Valve Lockout Set | Each |



Adjustable Dividers




Lockable Covers



Additional Storage on Top

ELECTRICAL LOCKOUTS



E-Safe® Lock-A-Plug Electrical Plug Lockout

Completely encloses an electrical plug, locking it out and preventing accidental reconnection. Strong polypropylene plastic is fully dielectric, and resists extreme temperatures up to 300°F. Features a sliding closure and an integrated multiple lockout. The **LP110** is a single-entry system that accepts 110V plugs and certain models of 220V plugs up to 1 3/4 x 1 3/4 x 3 1/4". The **LP550** is a multiple-entry system that accepts 220V and 550V plugs up to 3 x 3 x 6 3/4". Red.

NORTH

| Item No | Description | Unit |
|----------|----------------------------|------|
| NORLP110 | Lock-A-Plug, 110V Cord | Each |
| NORLP550 | Lock-A-Plug, 220/550V Cord | Each |



Grip Tight™ Circuit Breaker Lockout

A two-step fastening process ensures that the Grip Tight Lockout has an extremely secure fit. A thumb screw fastens textured gripping pads around a breaker switch, and the lockout is additionally tightened when the clamping handle is closed. Constructed of powder-coated steel with a reinforced polymer handle that allows for use in harsh environments. A narrow profile accommodates side-by-side breaker lockout. The compact size makes the Grip Tight easy to carry and store. Accepts all American Lock® and Master Lock® safety padlock shackle and lockout hasp diameters.

**Master
SAFETY SERIES Lock**

| Item No | Description | Unit |
|---------|--|------|
| MAS491B | Grip Tight, Tall and Wide Toggles | Each |
| MAS493B | Grip Tight, Standard Single and Double Toggles | Each |
| MAS506 | Grip Tight, Set of 491B and 493B | Each |

Compact Plug Prong Lockout

Quickly attaches to the prongs of 110 and 120V plugs. Fits two-prong or three-prong plugs. Includes labels in English, Spanish, and French.

**Master
SAFETY SERIES Lock**

| Item No | Description | Unit |
|----------|----------------------------|------|
| MAS52005 | Compact Plug Prong Lockout | Each |



Rotating Electrical Plug Lockout

The lightweight Electrical Plug Lockout rotates into itself when it's not in use, which saves space and allows for convenient storage. When in use, the lockout surrounds an electrical plug, preventing accidental reconnection. Dielectric chemical-resistant Xenoy® thermoplastic construction withstands temperature ranges of -50° to 350°F. The bright red color is eye-catching, and the permanent safety label clearly identifies who is responsible for the lockout.

| Item No | Description | Unit |
|---------|--|------|
| MAS487 | Plug Lockout, 2 1/4" Dia. (110 and 220V Plugs) | Each |
| MAS488 | Plug Lockout, 3" Dia. (220 and 550V Plugs) | Each |




**Master
SAFETY SERIES Lock**

Universal Wall Switch Lockout

Prevents the accidental wall switch activation of an electrical circuit. Fits all types of wall switches, including toggle switches and Decora™ paddle switches. Will also work with many slide and rotary dimmer switches. Lockout

labels in English/Spanish and English/French are included.

| Item No | Description | Unit |
|---------|---------------------|------|
| MAS496B | Wall Switch Lockout | Each |



**Master
SAFETY SERIES Lock**

Circuit Breaker Switch Padlock

The flexible steel cable shackle of this padlock is specially designed for use in circuit breaker lockout applications. The 5" cable allows the padlock to easily be moved out of the way of the circuit box panel door, so that it can be shut securely. The 1 1/8"-wide steel padlock utilizes a four-pin cylinder.

| Item No | Description | Unit |
|-----------|--------------------------------|------|
| MAS7C5RED | Circuit Breaker Switch Padlock | Each |



Master
SAFETY SERIES Lock

Group Lockout Kit

An array of lockout/tagout equipment can be easily stored and transported with the Group Lockout Kit. Components are stored in one of two clear polypropylene cases. The multicompartment case is ideal for smaller equipment, such as padlocks and tags, while the single compartment case fits larger lockout tools. Both fit inside a durable red polyester carrying case. Kit is available with an electrical lockout focus, a valve lockout focus or geared toward both electrical and valve lockout. Model 410 Safety Series™ Padlocks included in each kit are nonconductive, highly visible and designed specifically to comply with OSHA lockout standards. Each kit is intended for group use, so the locks are keyed differently.

Note: MasterLock offers a free Safety Lockout Padlock Key Charting System which maintains a record of padlock key cuts, ensuring no key duplication. Registration is done by simply returning an enclosed mail-in card.



| Item No | Description | Unit |
|--------------|---|------|
| MAS1458VE410 | Group Lockout Kit, Electrical and Valve | Each |
| MAS1458E410 | Group Lockout Kit, Electrical | Each |
| MAS1458V410 | Group Lockout Kit, Valve | Each |

| 1458VE410 | 1458E410 | 1458V410 | Description |
|-----------|----------|----------|--------------------------------|
| 6 | 6 | 6 | 410RED Padlocks |
| 2 | 2 | - | 7CSRED Breaker Switch Padlocks |
| 1 | 1 | 1 | 420 Hasp |
| 1 | 1 | 1 | 427 Snap-On Hasp |
| 1 | 1 | 1 | 8611 Adj. Cable Lockout |
| 1 | 1 | - | 487 Plug Cover |
| 1 | 1 | - | 488 Plug Cover |
| 1 | - | 1 | 480 Gate Valve Cover |
| 1 | - | 1 | 481 Gate Valve Cover |
| 1 | - | 1 | 482 Gate Valve Cover |
| - | - | 1 | 483 Gate Valve Cover |
| 2 | - | 2 | 468L Ball Valve Lockout |
| 3 | 2 | - | 491B Circuit Breaker Lockouts |
| 6 | 4 | - | 493B Circuit Breaker Lockouts |
| 2 | 2 | - | 496B Wall Switch Covers |
| 2 | 2 | 2 | 497A Tags (12/Pack) |

Personal Lockout Kit

Master
SAFETY SERIES Lock

A lightweight modular carrying case keeps lockout/tagout equipment well organized and easily accessible. The durable polypropylene case measures 15½ x 8¾ x 5¼". The kit comes fully stocked with commonly used lockout/tagout components. Kit is available with equipment geared to electrical lockout, valve lockout, or a combination of electrical and valve lockout. Model 410 Safety Series™ Padlocks included in each kit are nonconductive, highly visible and designed specifically to comply with OSHA lockout standards. Padlocks are keyed alike, and intended for use by an individual worker.



| Item No | Description | Unit |
|----------------|--|------|
| MAS1457VE410KA | Personal Lockout Kit, Electrical and Valve | Each |
| MAS1457E410KA | Personal Lockout Kit, Electrical | Each |
| MAS1457V410KA | Personal Lockout Kit, Valve | Each |

| 1457VE410KA | 1457E410KA | 1457V410KA | Description |
|-------------|------------|------------|--------------------------------|
| 3 | 3 | 3 | 410KARED Padlocks |
| 1 | 1 | - | 7CSRED Circuit Breaker Padlock |
| 1 | 1 | 1 | 420 Hasp |
| 1 | 1 | 1 | 427 Snap-On Hasp |
| 1 | - | 1 | 8611 Adjustable Cable Lockout |
| 1 | - | 1 | 480 Gate Valve Cover |
| 1 | - | 1 | 481 Gate Valve Cover |
| 1 | - | 1 | 482 Gate Valve Cover |
| 2 | - | 2 | 468L Ball Valve Lockout |
| 2 | 2 | - | 491B Circuit Breaker Lockouts |
| 3 | 3 | - | 493B Circuit Breaker Lockouts |
| 1 | 1 | - | 496B Wall Switch Lockout |
| 1 | 1 | 1 | 497A Tags (12/Pack) |